

Super Deox #1 Dross Recovery Powder QUALITEK®

DESCRIPTION

Super Deox #1 is a white powder formulated to reduce and prevent oxides of solder, commonly known as dross, on still pots and wave solder machines. Many competitive dross-reducing materials are based on mineral oils and fatty acid compounds that breakdown and deposit on the PCB assemblies. Super Deox #1 is a stable, low fuming, high melting compound with no flash or fire points. No smoke or fumes are generated when solder pot temperatures are below 485°F.

BENEFITS

- ≅ Low fuming
- ≅ Less alloy waste

PHYSICAL & CHEMICAL CHARACTERISTICS

Color and Appearance Flash Point Shelf life (un-opened) Solid White Powder None Indefinite

APPLICATION

The following procedure should be performed periodically to reduce solder costs. Super Deox #1 should be used whenever there is an excess of dross that hinders the soldering process, or when a yellowish surface (tin oxide) is seen on the molten solder.

- 1) Solder pot temperature set between 450°F and 485°F. The wave must be turned off.
- 2) Completely cover the molten solder surface with approximately 1/8 inch of Super Deox #1 by sprinkling it over the surface.
- 3) Using a spoon or spatula that will not contaminate the solder pot, work the Super Deox #1 into the pot by gently "chopping" it into the molten solder.
- 4) The process will take several seconds to complete. The Super Deox #1 will move about the surface of the molten solder and react with all oxides of tin and lead, converting them back into their metallic state.
- 5) After completion of the dross recovery process, remove all remaining dross, dirt, and other contaminants with a spoon or spatula. Complete removal of the Super Deox #1 particles is recommended.

PACKAGING & STORAGE

Super Deox #1 is available in 1, 10, 25, and 50 pound containers. It should be stored in dry place.

Qualitek * is a trademark of Qualitek International, Inc.

TEL: +44 (0) 151 334 0888 FAX: +44 (0) 151 346 1408 E-mail: <u>sales@qualitek-europe.com</u> Internet: <u>www.qualitek.com</u> 9 Apex Court, Bassendale Road.Wirral International Business Park, Bromborough, Wirral, CH62 3RE



WORLDWIDE BRANCHES: UNITED KINGDOM - MEXICO - CHINA - PHILIPPINES - SINGAPORE-USA

This data is based on information that the manufacturer believed to be reliable and offered in good faith. Qualitek International, Inc. makes no warranties expressed or implied as to its accuracy and assumes no responsibilities and liabilities arising out of its use by others as conditions and methods of use of the products is beyond the control of Qualitek International, Inc. The user must determine the suitability of the product before using it on a commercial basis. The warranties extend only to the conformity of the product to the physical descriptions. In no event will Qualitek International, Inc. be responsible for special, incidental and consequential damages whether the claim is in contract, negligence or otherwise.

Rev. 080499-superdeox

Consult MSDS for health and safety information