

Standard - Flat Brush 25mm ESD

SKU: 107-172



Features & Benefits

- ◆ Polypropylene handle for durability and ease of use
- ◆ Nylon bristles provide safe cleaning of ESD-sensitive components
- ◆ Surface resistance between 1.104Ω and 1.109Ω for effective ESD control
- ◆ Temperature range from 5 to 105°C, with intermittent use recommended at the extremes
- ◆ Featuring a robust polypropylene handle and durable nylon bristles, the brush ensures effective and precise cleaning while maintaining the integrity of your sensitive equipment

About the Standard - Flat Brush 25mm ESD

The Standard - Flat Brush 25mm ESD is specifically designed to ensure the safe cleaning of ESD-sensitive assemblies without generating harmful static charges.

This brush provides an essential solution for professionals working with delicate electronic components, safeguarding them from potential electrostatic discharge (ESD) damage.

Featuring a robust polypropylene handle and durable nylon bristles, the brush ensures effective and precise cleaning while maintaining the integrity of your sensitive equipment. The surface resistance falls between 1.104Ω and 1.109Ω, offering excellent ESD control. With a temperature range of 5 to 105°C, it is suitable for use in a variety of environments, though intermittent use at the temperature extremes is recommended. The brush adheres to ANSI/ESD S20.20 (1999) and EN 61340-5-1 standards, making it an indispensable tool for any workplace that requires strict ESD safety compliance.

Specifications

Property	Detail
Handle length	110mm
Application	ESD-protected areas, electronics mfg, cleanrooms