

Weller®

WXsmart



- DE Originalbetriebsanleitung
- GB Translation of the original instructions
- ES Traducción del manual original
- FR Traduction de la notice originale
- IT Traduzione delle istruzioni originali
- PT Tradução do manual original
- NL Vertaling van de oorspronkelijke gebruiksaanwijzing
- SV Översättning av bruksanvisning i original
- DK Oversættelse af den originale brugsanvisning
- FI Alkuperäisten ohjeiden käännös
- GR Μετάφραση του πρωτοτύπου των οδηγιών χρήσης
- TR Orjinal işletme talimatı çevirisi
- CZ Překlad původního návodu k používání
- PL Tłumaczeniem instrukcji oryginalnej
- HU Eredeti használati utasítás fordítása
- SK Preklad pôvodného návodu na použitie
- SL Prevod izvirnih navodil
- EE Algupärase kasutusjuhendi tõlge
- LV Instrukciju tulkojumam no oriģinālvalodas
- LT Originalios instrukcijos vertimas
- BG превод на оригиналната инструкция
- RO Traducere a instructiunilor originale
- HR Prijevod originalnih uputa
- RU Оригинальное руководство по эксплуатации
- CN 原装使用说明
- KO 오리지널 사용 설명서
- JP 取扱説明書

WXMPS MS
WXUPS MS


Supplied by
 **Grove Sales**
Quality Products - Reliable Service - Est 1990



<https://www.weller-tools.com/wxsmart>

Supplied by
Grove Sales
Quality Products- Reliable Service -Est 1990

1





WXMPS MS

WXUPS MS

Supplied by
Grove Sales
Quality Products - Reliable Service - Est 1990


2



Supplied by
Grove Sales
Quality Products - Reliable Service - Est. 1990

3

WXMPS MS WXUPS MS



WXMPS MS T0052923699



 **RTMS MS**
RTPS MS

& Set

+ **WSR 208** T0051518299








WXUPS MS T0052923599




 **RTUS MS**

+ **WSR 200** T0051517499N



OFF   



WXMPS MS



WXUP MS



Supplied by
Grove Sales
Quality Products - Reliable Service - Est 1990



ENGLISH



Supplied by

Grove Sales

Quality Products - Reliable Service - Est 1990



Read these instructions and the accompanying safety information carefully before starting up the device and starting work with the device.

Failure to observe the safety regulations results in a risk to life and limb.

Keep these instructions in a place that is accessible to all users. Please adhere to the operating instructions of the connected devices.

Please be sure to read and follow the operating instructions for your Weller Supply Unit.

Safety information

For safety reasons, children and youths under the age of 16, as well as persons who are not familiar with these operating instructions, may not use the device. Children should be supervised in order to ensure that they do not play with the tool.

This device is not intended for use by persons (including children) with limited physical, sensory or mental aptitude, or by persons who lack knowledge or experience in handling the device.

Always place the soldering tool in the safety rest while not in use.

Keep other persons well away from your workplace.

The work area is out of bounds for children and unauthorised persons. Never allow other persons to touch the soldering tool or cable.



Use only original Weller soldering tips!

⚠ WARNING Electrical shock

Protect yourself against electric shocks. The handles on soldering tools with an antistatic design are conductive.

- Avoid touching earthed objects such as pipes, heaters, cookers and refrigerators.
- Do not use the soldering tool in a damp or wet environment.
- Never work on voltage-carrying parts.

⚠ WARNING Risk of burns

The soldering tip becomes very hot during soldering work. There is a risk of burns from touching the tips. After the soldering process, the soldering tool and the workpiece holder are still hot.

- Always place the soldering tool in the safety rest while not in use. Make sure the safety holder is stable.
- Do not touch the hot soldering tips and keep them away from inflammable objects..
- Only replace solder tips when cold
- Only replace nozzles when cold

Risk of burning through liquid solder. Protect yourself against solder splashes.

- Wear appropriate protective clothing to protect yourself against burns. Protect your eyes by wearing eye protection.
- When working with adhesives, special attention must be paid to the warning information provided by the adhesive manufacturer.
- Only connect the vacuum and hot air at the designated points.

⚠ WARNING Fire hazard

Covering the soldering iron or the safety holder poses a fire hazard. Always keep objects well away from the soldering iron and safety holder.

- Always keep objects well away from the soldering iron and safety holder.
- Keep all combustible objects, liquids or gases well away from the hot soldering tool.
- Do not place or leave the hot soldering or desoldering tip on the worktop or on plastic surfaces.
- Avoid unintentional operation. Disconnect the soldering tool from the power supply while not in use.
- Keep explosive and flammable objects well away from the device.

Store your soldering tool in a safe place. When not in use, units and tools should be stored in a dry, high or locked area out of the reach of children. Make sure that unused soldering tools are free of voltage and de-pressurised.

Do not use the cable for purposes other than those for which it is intended. Never carry the unit by the cable. Do not use the cable to pull the plug out of the socket. Protect the cable against heat, oil and sharp edges.

Be alert. Pay attention to what you are doing. Be smart when using the unit. Do not use the soldering tool if you are having difficulty concentrating.

Avoid abnormal posture. Arrange your work station in an ergonomically correct way. Avoid bad posture when using the unit, as this can lead to postural problems.

The soldering tool must be operated only in perfect technical working order. Safety devices must not be deactivated.

Faults and defects must be repaired immediately. Before using the unit / tool, safety devices must be carefully checked to make sure that they are functioning properly and in the manner intended. Check that moving parts are functioning properly and are not sticking, and whether parts are damaged. All parts must be correctly fitted and must satisfy all the requirements necessary to guarantee troublefree operation of the unit.

Use the correct tool. Use only accessories or auxiliary devices which are included in the list of accessories or approved for use by the manufacturer. Use WELLER accessories or auxiliary devices on original WELLER equipment only. The use of other tools and other accessories can cause injury.

Secure the tool. Use clamping fixtures to hold the workpiece.

Use a solder fume extraction unit. If appliances for connecting solder fume extraction units are available, ensure that they are connected and used properly.

Specified Conditions Of Use

Use the soldering iron exclusively for the purpose indicated in the Operating Instructions of soldering and desoldering under the conditions specified here.

The soldering iron may only be used in combination with Weller Supply Units.

This device may only be used at room temperature and indoors. Protect against moisture and direct sunlight.

User groups

Due to differing degrees of risk and potential hazards, several work steps may only be performed by trained experts.

Work step	User groups
Default soldering parameters	Specialist personnel with technical training
Replacing electrical replacement parts	Electricians
Default maintenance intervals	Safety expert
Operation Filter change	Non-specialists
Operation Filter change Replacing electrical replacement parts	Technical trainees under the guidance and supervision of a trained expert

Care and maintenance



WARNING Before doing any work on the machine, pull the plug out of the socket. Leave the unit to cool down.


Check all connected cables and hoses on a regular basis. If power tools are damaged, they must be immediately removed from use.

Do not use blocked nozzles.



Repairs must always be referred to a Weller-trained specialist.

Use original replacement parts only.



WARNING Risk of burns

- Only replace the soldering tips when they are cold.

The soldering tool must be left switched off in the safety rest for at least 3 minutes until the soldering tip has cooled down. The LED status indicator must be at „OFF“.

Temperature performance

The soldering tool has an internal usage sensor which can be used to set an automatic switch-off function (Stand-by). The settings can be found in the station's operating instructions.

Warranty

Claims by the buyer for physical defects are time-barred after a period of one year from delivery to the buyer. This does not apply to claims by the buyer for indemnification in accordance with §§ 478, 479 BGB (German Federal Law Gazette).

We shall only be liable for claims arising from a warranty furnished by us if the quality or durability warranty has been furnished by use in writing and using the term „Warranty“.

The warranty shall be void if damage is due to improper use and if the device has been tampered with by unauthorised persons.

For more information please visit www.weller-tools.com.



ENGLISH

Symbols



Caution!



Warning! Risk of burns



Read the operating instructions!



ESD-compatible design and ESD-compatible workstation



CE mark of conformity



British Conformity Mark



Disposal

Do not dispose of electric tools together with household waste material! In observance of European Directive 2012/19/EU on waste electrical and electronic equipment and its implementation in accordance with national law, electric tools that have reached the end of their life must be collected separately and returned to an environmentally compatible recycling facility.



Disposal - UK

Do not dispose of electric tools together with household waste material! In observance of British Directive 2013 No. 3113 on waste electrical and electronic equipment and its implementation in accordance with national law, electric tools that have reached the end of their life must be collected separately and returned to an environmentally compatible recycling facility.

Technical Data

	Pico / Micro	Ultra
Soldering iron	WXMPS MS	WXUPS MS
Temperature range °C	100 - 450	100 - 450
Temperature range °F	200 - 850	200 - 850
Power consumption	40 W	150 W
Mains supply voltage	12 V / AC	24 V / AC
Heat-up time (50°C to 350°C) (120°F to 660°F)	3 s	7 s
Tip type series	RTMS MS / RTPS MS	RTUS MS
Safety rest	WSR 208	WSR 200
Supply unit	WX Smart Station	

Subject to technical alterations and amendments.

- DE** EU Konformitätserklärung
Wir erklären, dass die bezeichneten Produkte die Bestimmungen folgender Richtlinien erfüllen:
- CZ** EU prohlášení o shodě
Prohlašujeme, že označené produkty splňují ustanovení následujících směrnic:
- EN** EC declaration of conformity
We hereby declare that the products described herein comply with the following guidelines:
- PL** Deklaracja zgodności UE
Niniejszym oświadczamy, że wymienione produkty spełniają poniższe wytyczne:
- ES** Declaración de conformidad de la UE
Declaramos que los productos mencionados cumplen las disposiciones de las siguientes Directivas:
- HU** EU-megfelelőségi nyilatkozat
Kijelentjük, hogy a megnevezett termékek teljesítik a következő irányelvek előírásait:
- FR** Déclaration CE de conformité
Nous déclarons que les produits désignés répondent aux conditions des directives suivantes:
- SK** EÚ vyhlásenie o zhode
Vyhlasujeme, že uvedené výrobky spĺňajú ustanovenia nasledujúcich nariadení:
- IT** Dichiarazione CE di conformità
Dichiariamo che i prodotti dotati di contrassegno adempiano alle seguenti Direttive:
- SL** Izjava EU o skladnosti
Izjavljamo, da imenovani izdelki izpolnjujejo določila naslednjih direktiv:
- PT** Declaração de conformidade da UE
Declaramos que, os produtos designados cumprem os regulamentos das directivas seguintes:
- EE** ELi vastavusdeklaratsioon
Kinnitame, et nimetatud toode vastab järgmistele direktiivide sätetele:
- NL** EU-conformiteitsverklaring
We verklaren dat de beschreven producten de bepalingen van volgende richtlijnen vervullen:
- LV** ES atbilstības deklarācija
Mēs deklarējam, ka norādītie produkti atbilst tālāk uzskaitīto regulu noteikumiem:
- SV** EU-försäkran om överensstämmelse
Vi deklarerar att de betecknade produkterna uppfyller bestämmelserna i följande riktlinjer:
- LT** ES atitikties deklaracija
Mes patvirtiname, kad aprašyti gaminiai atitinka toliau nurodytų direktyvų nuostatas:
- DK** EU-overensstemmelseserklæring
Vi erklærer, at de nævnte produkter opfylder bestemmelserne i følgende direktiver:
- BG** ЕС декларация за съответствие
Ние декларираме, че назованите продукти изпълняват изискванията на следните Директиви:
- FI** EU-vaatimustenmukaisuusvakuutus
Täten vakuutamme, että kuvatut tuotteet täyttävät seuraavien direktiivien määräykset:
- RO** Declarația de conformitate UE
Declarăm că produsele nominalizate îndeplinesc prevederile următoarelor directive:
- GR** Δήλωση συμμόρφωσης ΕΕ
Δηλώνουμε, ότι τα χαρακτηρισμένα προϊόντα πληρούν τις διατάξεις των ακόλουθων οδηγιών:
- HR** EU izjava o skladnosti
Izjavljujemo da navedeni proizvodi ispunjavaju odredbe sljedećih smjernica:
- TR** AB uygunluk beyanı
Adı geçen ürünlerin, aşağıda yer alan yönetmelerdeki gereklilikleri karşıladığını beyan ederiz:
- RU** Декларация соответствия ЕС
Зявляем, что указанные продукты выполняют требования следующих директив:

CN 표준설명 부품에 포함되어야 한다.

우리는 본 설명서에 설명 된 제품은 다음과 같은 지침을 준수 함을 선언

KO オリジナルの適合宣言書

我々はここに以下のとおり宣言する: 本明細書に記載された製品は、次のガイドラインに準拠している:

JP 符合标准说明原件

我方特此声明: 所述产品符合以下规范:

2014/35/EU, 2014/30/EU, 2006/42/EG

CE Besigheim, 2021-07-30



Philippe Buidin
Managing director

Bevollmächtigt die technischen Unterlagen zusammenzustellen.
Authorised to compile technical documentation.
Autoriza la recopilación de la documentación técnica.
autorise à réunir les documentations techniques.
Autoriza la recopilación de la documentación técnica.
Incaricati di redigere la documentazione tecnica.
Responsável pela compilação da documentação técnica.
Gevolmachtigd om de technische documenten samen te stellen.
Bemyndigar sammanställning av tekniskt underlag.
Bemyndiger udarbejdelse af den tekniske dokumentation.
Teknisten asiakirjojen laadintaan valtuutettu.
Εξουσιοδοτημένος για την κατάρτιση του τεχνικού φακέλου.
Teknik belgelerin oluşturulması için tam yetkiye sahiptir.
Zmocněn k sestavení technické dokumentace.
Osoba upoważniona do przygotowania dokumentacji technicznej.
A műszaki dokumentáció összeállítására jogosult személy.
Splnomocňuje zostaviť technické podklady.
Pooblaščen za sestavljanje tehnične dokumentacije.
Volitatud koostama tehnilisi andmeid.
Piltvarots izstrādāt tehnisko dokumentāciju.
Asmuo, įgaliotas sudaryti techninę dokumentaciją.
Упълномощен за съставяне на техническата документация.
Împuternicit cu redactarea documentației tehnice.
Opunomoćen za prikupljanje tehničke dokumentacije.
Уполномоченный на составление технических документов.
经授权编制技术文件
위임을 받아 기술파일 작성
技術文書の作成が認可される。

Weller Tools GmbH
Carl-Benz-Straße 2, 74354 Besigheim, Germany

EN UK declaration of conformity

We hereby declare that the products described herein comply with the following guidelines:

SI 2016 No.1101, SI 2016 No.1091, SI 2008 No.1597

Besigheim, 2021-07-30




Philippe Buidin
Managing director

Authorised to compile technical documentation.
Apex tool Group (UK Operations) Limited
Piccadilly, Tamworth
Staffordshire B78 2ER

Supplied by
Grove Sales
Quality Products - Reliable Service - Est 1990

Product Registration

Produkt-Registrierung - Enregistrement produit - Registro de producto - 尊敬的客户您好



www.weller-tools.com/registration



Supplied by
Grove Sales
Quality Products - Reliable Service - Est 1990

GERMANY

Weller Tools GmbH
Carl-Benz-Straße 2
74354 Besigheim

Tel: +49 (0)7143 580-0
Fax: +49 (0)7143 580-108

USA

Apex Tool Group, LLC.
Weller Professional Tools Division
1000 Lufkin Road
Apex, NC 27539

+1 919-362-8381
info@weller-tools.com

CHINA

Apex Tool Group
Room 302A,
NO 177 Bibo Road
Shanghai, 201202

Tel: +86 (21) 60880288
Fax: +86 (21) 60880289

GREAT BRITAIN

Apex tool Group (UK Operations)
Limited
Piccadilly, Tamworth
Staffordshire B78 2ER

www.weller-tools.com

© 2021, Apex Tool Group, LLC.

Weller® is a registered Trademark and registered Design of Apex Tool Group, LLC.

Weller®