

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/5

Q775-2-Sn62-CLP

Revision Revision date 2015-05-12

SECTION 1: Identification of the substance/mixture and of	f the company/undertaking
---	---------------------------

1.1. Product identifier

EC No.

Product name Q775-2-Sn62-CLP CAS No. 7439-92-1

231-100-4 1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); Description Soldering

1.3. Details of the supplier of the safety data sheet

Company Qualitek Europe Ltd Address Unit 9 Apex Court Bassendale Road Bromborough

> Wirral CH62 3RE

Web www.qualitek.com + 44(0)151 334 0888 Telephone Fax + 44(0)151 334 1408

Email address of the competent person

sales@qualitek-europe.com

1.4. Emergency telephone number

Emergency telephone

number

+ 44(0)151 334 0888

9.00 am - 5.00 pm Mon -Fri

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.1. Classification -T; R61 Xn; R22-33-62 67/548/EEC Symbols: T: Toxic.


Harmful if swallowed. Danger of cumulative effects. May cause harm to the unborn child. Possible Main hazards

risk of impaired fertility.

2.1.2. Classification - EC

1272/2008 Chronic 2: H411;

2.2. Label elements







Acute Tox. 4: H302+H332; STOT SE 3: H335; Repr. 1A: H360Fd; STOT RE 2: H373; Aquatic

Signal Word

Danger

Revision 1
Revision date 2015-05-12

2.2. Label elements

Hazard Statement	Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled. STOT SE 3: H335 - May cause respiratory irritation. Repr. 1A: H360Fd - May damage fertility. Suspected of damaging the unborn child. STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
Precautionary Statement:	P202 - Do not handle until all safety precautions have been read and understood.
Prevention	P260 - Do not breathe dust/fume/gas/mist/vapours/spray.
	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
	P264 - Wash thoroughly after handling.
	P270 - Do no eat, drink or smoke when using this product.
	P271 - Use only outdoors or in a well-ventilated area.
	P273 - Avoid release to the environment.
	P281 - Use personal protective equipment as required.
Precautionary Statement:	P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
Response	P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable
	for breathing.
	P314 - Get medical advice/attention if you feel unwell.
Precautionary Statement:	P405 - Store locked up.
Storage	
Precautionary Statement:	Do not empty into drains, dispose of this material and its container at hazardous or special waste
Disposal	collection point.
Further information	

SECTION 3: Composition/information on ingredients

3.1. Substances

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Lead		7439-92-1	231-100-4	01-2119513221-59	35-45%	T; R61 Xn; R22-33-62
Other (Not Classified)					1 - 10%	Xi; R36/37/38
Diethylene glycol (2,2'-Oxydiethanol)	603-140-00-6	111-46-6	203-872-2	01-2119457857-21	1 - 10%	Xn; R22
Tin		7440-31-5	231-141-8	01-2119486474-28	55-70%	
Silver (Silver, metallic)		7440-22-4	231-131-3	01-2119555669-21	1 - 5%	

Lead: Warning! Contains lead. Danger of cumulative effects.

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Lead Other (Not Classified)		7439-92-1	231-100-4	01-2119513221-59	35-45% 1 - 10%	Acute Tox. 4: H302+H332; Repr. 1A: H360Fd; STOT RE 2: H373; Aquatic Chronic 2: H411;
Diethylene glycol	603-140-00-6	111-46-6	203-872-2	01-2119457857-21		Acute Tox. 4: H302:
(2,2'-Oxydiethanol) Tin		7440-31-5	231-141-8	01-2119486474-28	55-70%	
Silver (Silver, metallic)		7440-22-4	231-131-3	01-2119555669-21	1 - 5%	

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Irritating to respiratory system. Inhalation may cause coughing, tightness of the chest and irritation
	of the respiratory system. Move the exposed person to fresh air. Seek medical attention.
Eye contact	Irritating to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open.



Revision 1
Revision date 2015-05-12

4.1. Description of first aid mea	sures			
	Seek medical attention if irritation or symp	toms persist.		
Skin contact	Irritating to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.			
Ingestion	Ingestion may cause nausea and vomiting. Seek medical attention if irritation or symptoms persist. DO NOT INDUCE VOMITING.			
SECTION 5: Firefighting me	asures			
5.1. Extinguishing media				
	Carbon oxides.			
5.2. Special hazards arising from	n the substance or mixture			
	Burning produces irritating, toxic and obno	oxious fumes.		
5.3. Advice for firefighters				
	Wear suitable respiratory equipment wher	necessary.		
SECTION 6: Accidental relea	ase measures			
6.1. Personal precautions, prote	ective equipment and emergency procedures	3		
	Avoid raising dust. Ensure adequate venti equipment.	lation of the working area. Wear suitable protective		
6.2. Environmental precautions				
	Do not allow product to enter drains. Preve	ent further spillage if safe.		
6.3. Methods and material for co	· · · · · · · · · · · · · · · · · · ·			
	Sweep up. Transfer to suitable, labelled co	ontainers for disposal. Clean spillage area thoroughly		
SECTION 7: Handling and s	torage			
7.1. Precautions for safe handli	ng			
	Avoid contact with eyes and skin. Ensure Manual Handling considerations when har	adequate ventilation of the working area. Adopt best		
7.2. Conditions for safe storage		<u> </u>		
	Keep in a cool, dry, well ventilated area. K containers.	eep containers tightly closed. Store in correctly labelled		
SECTION 8: Exposure contr	ols/personal protection			
8.1. Control parameters				
<u> </u>				
8.1.1. Exposure Limit Values				
Diethylene glycol (2,2'-Oxydiethanol)	WEL 8-hr limit ppm: 23	WEL 8-hr limit mg/m3: 101		
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -		
Q775-2-Sn62-CLP (Lead)	DIR: 82/605	8hTWA ppm: -		
	8hTWA mg/m3: 0.15	STEL ppm: -		
Silver (Silver, metallic)	STEL mg/m3: - WEL 8-hr limit ppm: -	NOT: - WEL 8-hr limit mg/m3: 0.1		
Onver (Onver, Metallic)	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -		
	**			
8.2. Exposure controls				



Ensure adequate ventilation of the working area.

Wear chemical protective clothing.

8.2.1. Appropriate

measures

engineering controls 8.2.2. Individual protection

Revision 1
Revision date 2015-05-12

8.2. Exposure controls

Respiratory protection

Eye / face protection Approved safety goggles.

Skin protection - Chemical resistant gloves (PVC).

Handprotection

Wear:. Suitable respiratory equipment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State Paste

Colour Grev

Odour Characteristic

Melting point 179 °C

Boiling point 197 °C

Flash point

t > 98 °C

Autoignition temperature

> 226 °C

Solubility

Slightly soluble in water

9.2. Other information

Specific gravity 3.5 - 5.5 g/cm³

SECTION 10: Stability and reactivity

10.2. Chemical stability

Stable under normal conditions.

SECTION 11: Toxicological information

11.1.4. Toxicological Information

Lead	Oral Rat LD50: 40mg/gm	Dermal Rabbit LD50: 25mg/gm	
Q775-2-Sn62-CLP	Dermal Rat LD50: >3000	Oral Mouse LD50: >3000	

SECTION 12: Ecological information

12.3. Bioaccumulative potential

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

SECTION 13: Disposal considerations

General information

Dispose of in compliance with all local and national regulations

SECTION 14: Transport information

ADR/RID

The product is not classified as dangerous for carriage.

IMDG

The product is not classified as dangerous for carriage.

IATA

The product is not classified as dangerous for carriage.

Further information

The product is not classified as dangerous for carriage.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

This Product is Clasiified to Regulation 1272/2008/EC(CLP).



Revision 1
Revision date 2015-05-12

SECT	ON	16.	Other	inform	nation
\circ	\sim	ıv.	Ou ioi	111111111	iauvii

Other information	
Revision	This document differs from the previous version in the following areas:. 2 - 2.1.2. Classification - EC 1272/2008.
Text of risk phrases in Section 3	R22 - Harmful if swallowed. R33 - Danger of cumulative effects. R36/37/38 - Irritating to eyes, respiratory system and skin. R61 - May cause harm to the unborn child.
Text of Hazard Statements in Section 3	R62 - Possible risk of impaired fertility. Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled Repr. 1A: H360Fd - May damage fertility. Suspected of damaging the unborn child. STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects. Acute Tox. 4: H302 - Harmful if swallowed.
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

